

NOTE Names in green are proposed replacement names. Names in red text are synonyms.

NOTE H= type examined; P=partype(s) examined; ; != confidently identified material examined; *=species included in analysis

	Loxandrina Erwin and Sims, 1984	Notes	Informal group if placed currently	Previous group if different
Genus	Oxycrepis			
Sg.	Oxycrepis Reiche, 1843			
	brasiliensis Tschitscherine, 1900	H		
	cordata Tschitscherine, 1900	H*		
	leucocera Reiche, 1843	H		
	dimidiata Chaudoir, 1873			
	communimacula C.A.Dohnr, 1884			
	schadei Emden, 1949			
Sg.	Loxandrus LeConte, 1852			
	accelerans (Casey, 1918)		Bousquet (2006) agilis group	
	agilis (Dejean, 1828)	!	Bousquet (2006) agilis group	
	flavilimbus Blatchley, 1918		Bousquet (2006) agilis group	
	calathinus LeConte, 1878		Bousquet (2006) agilis group	
	cursitans Casey, 1918		Bousquet (2006) agilis group	
	algida (Allen, 1972)		Bousquet (2006) agilis group	
	cervicalis (Casey, 1918)		Bousquet (2006) agilis group	
	brunneus Blatchley, 1918 [nec Sloane, 1903]		Bousquet (2006) agilis group	
	blatchleyi Csiki, 1930		Bousquet (2006) agilis group	
	mundus Casey, 1918		Bousquet (2006) agilis group	
	suturalis Casey, 1918		Bousquet (2006) agilis group	
	extenda (Allen, 1972)	!	Bousquet (2006) agilis group	
	floridana (LeConte, 1878)	!*	Bousquet (2006) agilis group	
	scitus Casey, 1918		Bousquet (2006) agilis group	
	breviusculus Casey, 1924		Bousquet (2006) agilis group	
	comptus Casey, 1918		Bousquet (2006) agilis group	
	contumax Casey, 1918		Bousquet (2006) agilis group	
	icarus (Will and Liebherr, 1997)	H*	Bousquet (2006) agilis group	

parallela (Casey, 1918)	!	Bousquet (2006) agilis group	
parvula (Chaudoir, 1868)	!	Bousquet (2006) agilis group	
<i>aduncus</i> Allen, 1972		Bousquet (2006) agilis group	
piceola (Chaudoir, 1868)		Bousquet (2006) agilis group	
piciventris (LeConte, 1846)		Bousquet (2006) agilis group	
pusilla (LeConte, 1853)	!	Bousquet (2006) agilis group	
<i>minutus</i> Allen, 1972		Bousquet (2006) agilis group	
rossi (Allen, 1972)		Bousquet (2006) agilis group	
saccisecundaris (Allen, 1972)		Bousquet (2006) agilis group	
spinilunata (Allen, 1972)		Bousquet (2006) agilis group	
taeniata (LeConte, 1852)	!	Bousquet (2006) agilis group	
uniloba (Allen, 1972)		Bousquet (2006) agilis group	
velox (Dejean, 1828)		Bousquet (2006) agilis group	
celeris (Dejean, 1828)	!*	Bousquet (2006) celeris group	
<i>cruentatus</i> Chevrolat, 1858		Bousquet (2006) celeris group	
<i>rapidus</i> Chaudoir, 1868		Bousquet (2006) celeris group	
<i>concinus</i> Casey, 1918		Bousquet (2006) celeris group	
<i>parvicollis</i> Casey, 1918		Bousquet (2006) celeris group	
cubana (Tschitscherine, 1903)	!*	Bousquet (2006) celeris group	
brevicollis (LeConte, 1846)	!	Bousquet (2006) erratica group	
<i>fulgens</i> Casey, 1918		Bousquet (2006) erratica group	
cincinnati (Casey, 1924)	!*	Bousquet (2006) erratica group	
<i>cincinnatiensis</i> Csiki, 1930		Bousquet (2006) erratica group	
circula (Allen, 1972)		Bousquet (2006) erratica group	
erratica (Dejean, 1828)	!	Bousquet (2006) erratica group	
gibba (Allen, 1972)	!	Bousquet (2006) erratica group	
minor (Chaudoir, 1843)	!	Bousquet (2006) erratica group	
<i>inquietus</i> Casey, 1918		Bousquet (2006) erratica group	
nitidula (LeConte, 1846)		Bousquet (2006) erratica group	
robusta (Allen, 1972)	!	Bousquet (2006) erratica group	
uniformis (Allen, 1972)		Bousquet (2006) erratica group	
velocipes (Casey, 1918)	!*	Bousquet (2006) erratica group	

	<i>inferus</i> Allen, 1972		Bousquet (2006) erratica group	
	yeariani (Allen, 1972)	P	?Bousquet (2006) erratica group	Allen and Ball (1980) yeariani group
	collucens (Casey, 1918)		Bousquet (2006) recta group	
	<i>ludovicianus</i> Casey, 1918		Bousquet (2006) recta group	
	balli (Allen, 1972)		Bousquet (2006) recta group	
	lucens (Chaudoir, 1868)	!	Bousquet (2006) recta group	
	pravituba (Allen, 1972)		Bousquet (2006) recta group	
	recta (Say, 1823)	!*	Bousquet (2006) recta group	
	<i>lucidulus</i> (Dejean, 1828)		Bousquet (2006) recta group	
	<i>laticollis</i> (Chaudoir, 1843)		Bousquet (2006) recta group	
	<i>iris</i> Motschulsky, 1866		Bousquet (2006) recta group	
	<i>limatus</i> Casey, 1918		Bousquet (2006) recta group	
	<i>mandibularis</i> Casey, 1918		Bousquet (2006) recta group	
	saphyrina (Chaudoir, 1843)	!*	Bousquet (2006) saphyrina group	
	<i>lateralis</i> Casey, 1918		Bousquet (2006) saphyrina group	
	<i>saphyrinus</i> Csiki, 1930		Bousquet (2006) saphyrina group	
	<i>reflexus</i> LeConte, 1878		Bousquet (2006) saphyrina group	
Sg.	Adrimus Bates, 1872			
	aenescens (Tschitscherine, 1900)	H		
	affinis (Tschitscherine, 1900)	H		
	<i>gebi</i> Will, replacement name			
	<i>balli</i> (Straneo, 1993) [nec Allen, 1972]	H		
	claripes (Straneo, 1993)	H		
	crepera (Bates, 1872)	H		
	elytralis (Straneo, 1993)	H		
	fuscipes (Brulle, 1835)	H		
	geminata (Bates, 1872)	H		
	iridea (Straneo, 1993)	H		
	longior (Straneo, 1993)	H		

	amatonus Will, replacement name			
	matoanus (Straneo, 1993) [nec Tschitscherine, 1900]	H		
	microdera (Bates, 1872)			
	olivacea (Bates, 1882)			
	paulensis (Straneo, 1993)	H		
	xipromus Will, replacement name			
	proximus (Straneo, 1993) [nec Chaudoir, 1868]			
	rufangula (Bates, 1872)	H		
	rasutulis Will, replacement name			
	suturalis (Straneo, 1993) [nec Casey, 1918]	H		
	uruguaica (Tschitscherine, 1903)	H		
	ventralis (Straneo, 1993)	H		
	virens (Tschitscherine, 1901)			
	viridescens (Bates, 1871)	H		
	panamensis Casey, 1914			
Sg.	Metoncidus Bates, 1871			
	epiphyta (Will, 2004)	H*		
	gracila (Will, 2004)	H		
	tenebrionides (Bates, 1871)	H		
Sg.	Stolonis Motschulsky, 1866			
	Prostolonis Mateu, 1976			
	apicata (Bates, 1871)	!		
	catenaria (Will, 2005)	H		
	charrua (Anichtchenko in Anichtchenko and Will, 2009)	H		
	dimidiaticornis (Dejean, 1828)	!		
	elegans (Dejean, 1831)	!		
	fulvostigma (Bates, 1871)	!		
	gracilis (Bates, 1871)	!		
	intercepta (Chaudoir, 1874)	!		
	ulkei (G.Horn, 1885)			

	laevinota Will, replacement name			
	laevicollis (Bates, 1871) [nec Bates, 1871]	!		
	leistoides (Bates, 1871)	!		
	leucotela (Bates, 1871)	!		
	martinezi (MATEU, 1976)	!		
	notula (Motschulsky, 1866)	!		
	ovaticollis (Bates, 1871)	!		
	arvulap Will, replacement name			
	parvula Straneo, 1951 [nec Chaudoir, 1868]	!		
	scortensis (Will, 2005)	H*		
	spinosa (Will, 2005)	H		
	tapii (Will, 2005)	H*		
	willinki (Mateu, 1984)			
	yasuni (Will, 2005)	H		
	Oxycrepis incertae sedis			
	binotata (Allen and Ball, 1979)		Allen and Ball (1980) binotata group	
	ssp. binotata s.str.	P	Allen and Ball (1980) binotata group	
	ssp. lacandonensis (Allen and Ball, 1979)		Allen and Ball (1980) binotata group	
	ssp. tuxtlensis (Allen and Ball, 1979)		Allen and Ball (1980) binotata group	
	littleorum (Allen and Ball, 1979)	P		Allen and Ball (1980) crenatus group
	balli (Allen, 1972)	P*	Allen and Ball (1980) elnae group	
	discolor (Allen, 1972)		Allen and Ball (1980) elnae group	
	elnae (Allen, 1972)	P*	Allen and Ball (1980) elnae group	
	fraus (Allen, 1972)	!	Allen and Ball (1980) elnae group	
	lepida (Allen, 1972)	!	Allen and Ball (1980) elnae group	
	spinigrandis (Allen, 1972)		Allen and Ball (1980) elnae group	
	tropica (Allen, 1972)	!*	Allen and Ball (1980) elnae group	
	unispina (Allen, 1972)		Allen and Ball (1980) elnae group	
	whiteheadi (Allen, 1972)	P*	Allen and Ball (1980) elnae group	

	omiltemi (Allen and Ball, 1979)	!	Allen and Ball (1980) omiltemi group	
	anthracina (Allen and Ball, 1979)	!	Allen and Ball (1980) stockwelli group	
	stockwelli (Allen and Ball, 1979)	P	Allen and Ball (1980) stockwelli group	
	crenata (LeConte, 1852)	!	Bousquet (2006) crenata group	
	crenulatus Chaudoir, 1868		Bousquet (2006) crenata group	
	proxima (Chaudoir, 1868)		Bousquet (2006) crenata group	
	infima (Bates, 1882)	!	Bousquet (2006) infima group	
	mutans Darlington, 1936		Bousquet (2006) infima group	
	pactinulla (Allen, 1972)	P	Bousquet (2006) infima group	Allen and Ball (1980) sculptilis group
	sculptilis (Bates, 1884)	!*	Bousquet (2006) infima group	Allen and Ball (1980) sculptilis group
	elongata (Allen, 1972)	P	Bousquet (2006) rectangula group	Allen and Ball (1980) celeris group
	nocticolor (Darlington, 1934)		Bousquet (2006) rectangula group	
	rectangula (LeConte, 1878)	!	Bousquet (2006) rectangula group	Allen and Ball (1980) celeris group
	duryi (Wright, 1939)		Bousquet (2006) micans group	
	micans (Chaudoir, 1868)		Bousquet (2006) micans group	
	straneoi (Will and Liebherr, 1997)	H	Bousquet (2006) micans group	
	vulnerata (Casey, 1918)	!	Bousquet (2006) micans group	
	vitiosus Allen, 1972		Bousquet (2006) micans group	
	adrimoides (Straneo, 1991)	P	Straneo (1991) group-1	
	amplithorax (Straneo, 1991)	P	Straneo (1991) group-1	
	audouini (G.R.Waterhouse, 1841)		Straneo (1991) group-1	
	integra (Tschitscherine, 1900)		Straneo (1991) group-1	
	laevicollis (Bates, 1871)		Straneo (1991) group-1	

	latiuscula (Straneo, 1991)	P	Straneo (1991) group-1	
	pseudomajor (Straneo, 1991)	H	Straneo (1991) group-1	
	ruficornis (Tschitscherine, 1900)	!	Straneo (1991) group-1	
	assimilis (Dejean, 1831)	!	Straneo (1991) group-2	
	boliviana (Tschitscherine, 1900)	!	Straneo (1991) group-2	
	confusus (Brulle, 1843) [non Dejean, 1831]		Straneo (1991) group-2	
	brunneicornis (Straneo, 1991)	P	Straneo (1991) group-2	
	calathoides (Bates, 1871)		Straneo (1991) group-2	
	curtata (Tschitscherine, 1903)	!	Straneo (1991) group-2	
	major (Straneo, 1949)	H	Straneo (1991) group-2	
	melas (Straneo, 1953)	P	Straneo (1991) group-2	
	obscura (Straneo, 1949)		Straneo (1991) group-2	
	planicollis (Straneo, 1991)	P	Straneo (1991) group-2	
	simplex (Dejean, 1828)	!	Straneo (1991) group-2	
	subfusca (Tschitscherine, 1900)	!	Straneo (1991) group-2	
	apicalis (G.R.Waterhouse, 1841)		Straneo (1991) group-2	
	tucumana (Dejean, 1831)	!	Straneo (1991) group-2	
	castanipes (Straneo, 1991)	!*	Straneo (1991) group-3	
	catharinae (Tschitscherine, 1900)	!	Straneo (1991) group-3	
	fulvicornis (Bates, 1871)		Straneo (1991) group-3	
	longiuscula (Straneo, 1991)	P	Straneo (1991) group-3	
	marginepunctata (Straneo, 1991)	P	Straneo (1991) group-3	
	orbicollis (Straneo, 1991)	P	Straneo (1991) group-3	
	punctatissima (Straneo, 1991)	!	Straneo (1991) group-3	
	punctimargo (Straneo, 1991)		Straneo (1991) group-3	
	rectibasis (Straneo, 1991)	H	Straneo (1991) group-3	
	sulcata (Bates, 1871)		Straneo (1991) group-3	
	xanthopa (Bates, 1871)	!	Straneo (1991) group-3	
	subparallela (Bates, 1871)		?Straneo (1991) group-3	
	curtatoides (Straneo, 1949)		Straneo (1991) group-4	
	curtonota (Bates, 1871)		Straneo (1991) group-4	

cuyabana (Straneo, 1991)	P	Straneo (1991) group-4	
dubia (Curtis, 1839)	!	Straneo (1991) group-4	
guerini (G.R.Waterhouse, 1841)		Straneo (1991) group-4	
irinus (Brulle, 1843)		Straneo (1991) group-4	
franiai (Straneo, 1991)		Straneo (1991) group-4	
iridea (Straneo, 1949)		Straneo (1991) group-4	
macrodera (Bates, 1871)	!	Straneo (1991) group-4	
marginalis (Straneo, 1991)		Straneo (1991) group-4	
mattoana (Tschitscherine, 1900)	!	Straneo (1991) group-4	
modica (Tschitscherine, 1901)	!	Straneo (1991) group-4	
paraguayensis (Straneo, 1949)		Straneo (1991) group-4	
punctibasis (Straneo, 1949)	H	Straneo (1991) group-4	
ripicola (Straneo, 1949)		Straneo (1991) group-4	
rotundata (Straneo, 1991)		Straneo (1991) group-4	
rotundicollis (Straneo, 1991)		Straneo (1991) group-4	
atra (Tschitscherine, 1901)	!	Straneo (1991) group-5	
egae Straneo, 1949	H	Straneo (1991) group-5	
mirei (Straneo, 1991)	!	Straneo (1991) group-5	
quinaria (Will and Liebherr, 1997)	H*	Straneo (1991) group-5	
strigomeroides (Straneo, 1991)	H*	Straneo (1991) group-5	
oophaga (Costa and Vanin, 2011)		Straneo (1991) group-5	
depressibasis (Straneo, 1991)		Straneo (1991) group-6	
subsinuata (Straneo, 1991)		Straneo (1991) group-6	
brullei (G.R.Waterhouse, 1841)	!	Straneo (1991) group-7A	
argentinus Tschitscherine, 1900		Straneo (1991) group-7A	
brunnescens Straneo, 1949	P	Straneo (1991) group-7A	
gravescens (Bates, 1871)	!	Straneo (1991) group-7A	
maindroni (Tschitscherine, 1901)	!	Straneo (1991) group-7A	
ssp. maindroni s.str.		Straneo (1991) group-7A	
ssp. terminata (Tschitscherine, 1901)		Straneo (1991) group-7A	
moritzi (Tschitscherine, 1898)	!	Straneo (1991) group-7A	

	ssp. moritzi s.str.		Straneo (1991) group-7A	
	ssp. latibasis (Straneo, 1958) nec Straneo 1991		Straneo (1991) group-7A	
	noaffine Will, replacement name		Straneo (1991) group-7B	
	affinis Straneo, 1991 [nec Tschitscherine, 1900]		Straneo (1991) group-7B	
	bonariensis (Straneo, 1991)		Straneo (1991) group-7B	
	fulva (Straneo, 1991)		Straneo (1991) group-7B	
	iricolor (Straneo, 1991)		Straneo (1991) group-7B	
	laetipes (Straneo, 1991)		Straneo (1991) group-7B	
	minima (Straneo, 1951)		Straneo (1991) group-7B	
	politissima (Bates, 1871)		Straneo (1991) group-7B	
	profundestriata (Straneo, 1991)	!	Straneo (1991) group-7B	
	quadribasis (Straneo, 1991)		Straneo (1991) group-7B	
	sericiventrif (Straneo, 1991)		Straneo (1991) group-7B	
	defanisi (Straneo, 1991)		Straneo (1991) group-8	
	simillima (Straneo, 1991)		Straneo (1991) group-8	
	sinuata (Straneo, 1991)		Straneo (1991) group-8	
	subcordicollis (Bates, 1871)		Straneo (1991) group-8	
	subquadrata (Straneo, 1991)		Straneo (1991) group-8	
	trapezicollis (Straneo, 1991)	H	Straneo (1991) group-9	
	macula (Straneo, 1991)		Straneo (1991) group-10	
	planoculis (Straneo, 1991)	P	Straneo (1991) group-10	
	davisoni (Straneo, 1991)	H	Straneo (1991) group-11	
	kochalkai (Straneo, 1991)	P	Straneo (1991) group-11	
	guttula (Tschitscherine, 1901)	!	Straneo (1991) group-12	
	kayae (Straneo, 1991)	P	Straneo (1991) group-12	
	alutona Will, replacement name		Straneo (1991) group-12	
	notula Tschitscherine, 1901 [nec Motschulsky, 1866]		Straneo (1991) group-12	
	photophila (Straneo, 1991)	P	Straneo (1991) group-12	
	postica (Brulle, 1843)	!	Straneo (1991) group-12	

rubromaculata (Straneo, 1955)	H	Straneo (1991) group-12	
rufostigma (Bates, 1871)	!	Straneo (1991) group-12	
fasciata (Tschitscherine, 1900)	!	Straneo (1991) group-13	
fasciolata (Tschitscherine, 1900)	!	Straneo (1991) group-13	
flavicauda (Tschitscherine, 1900)	!	Straneo (1991) group-13	
interrupta (Tschitscherine, 1900)	!	Straneo (1991) group-13	
janeirana (Straneo, 1991)	H	Straneo (1991) group-13	
latifascia (Straneo, 1991)		Straneo (1991) group-13	
minasiana (Straneo, 1991)	P	Straneo (1991) group-13	
subvittata (Straneo, 1953)	H	Straneo (1991) group-13	
cribratella (Straneo, 1991)	P	Straneo (1991) group-14	
humeralis (Straneo, 1991)	P	Straneo (1991) group-14	
maculata Straneo, 1958	P	Straneo (1991) group-14	
pictoides (Straneo, 1991)	P*	Straneo (1991) group-14	
picta (Tschitscherine, 1900)	!	Straneo (1991) group-14	
quadrinotata (Bates, 1871)		Straneo (1991) group-14	
similis (Straneo, 1991)	!	Straneo (1991) group-14	
tetrastigma (Bates, 1871)		Straneo (1991) group-14	
variabilis (Straneo, 1991)	P	Straneo (1991) group-14	
brevis (Straneo, 1991)	!	Straneo (1991) group-15	
ecuadorica (Straneo, 1991)		Straneo (1991) group-15	
elaphropa (Tschitscherine, 1898)		Straneo (1991) group-15	
nicki (Straneo, 1955)	!*	Straneo (1991) group-15	
ornata (Putzeys, 1878)		Straneo (1991) group-15	
picticauda (Bates, 1871)	!	Straneo (1991) group-15	
rubronigra (Straneo, 1991)	!	Straneo (1991) group-15	
sinuatella (Straneo, 1991)	!	Straneo (1991) group-15	
negrei (Straneo, 1967)	P	Straneo (1991) group-16	
opacula (Bates, 1871)	!	Straneo (1991) group-16	
sericea (Straneo, 1955)	H	Straneo (1991) group-16	

	anchomenoides (Straneo, 1955)	!	Straneo (1991) group-17	
	attenuata (Bates, 1871)		Straneo (1991) group-17	
	orneatella (Straneo, 1991)	H	Straneo (1991) group-17	
	reflexicollis (Straneo, 1991)	H	Straneo (1991) group-17	
	confusa (Dejean, 1831)			
	conspicua (Mateu, 2000)			
	latibasis (Straneo, 1993)	H		
	idiocentra (Tschitscherine, 1898)			
	punctisulcis (Straneo, 1958)			
	punctulata (Straneo, 1949)	!		
	remota (Allen, 1972)			
	rubescens (Bates, 1871)			
	rubricata (Bates, 1891)			
	semperfidelis Will, 2008	H*		
	stenolophoides (Straneo, 1949)			
	unistigma (Bates, 1882)			
	vittata (Bates, 1871)			
Genus	Zeodera Laporte, 1867			
Sg.	Zeodera Laporte, 1867			
	atra Laporte, 1867	H*		
Sg.	Homalonesiota Maindron, 1908			
	karawarii (Maindron, 1908)			
	straneoi (Darlington, 1962)	H*		
Sg.	Haploferonia Darlington, 1962			
	simplex (Darlington, 1962)	H*		
Sg.	Nebrioferonia Straneo, 1939			
	intermedia (Allen, 1982)	H		
	strigitarsis (Straneo, 1939)	H*		

	Zeodera incertae sedis			
	amplicollis (Sloane, 1903)	H*		
	australica (Csiki, 1930)	H		
	laevicollis (Blackburn, 1892) [nec Bates, 1871]			
	australiensis (Sloane, 1895)	H*		
	brunnea (Sloane, 1903)	H*		
	celebensis (Bates, 1871)	H		
	gagatina (Laporte, 1867)	H*		
	laevigata (W.J.Macleay, 1888)	H		
	lata (Darlington, 1962)	H*		
	longiformis (Sloane, 1898)	H*		
	macleayi (Csiki, 1930)	H		
	crenulatus (W.J.Macleay, 1888) [nec Chaudoir, 1868]			
	majuscula (Lorenz, 1998)	H		
	major Darlington, 1962 [nec Straneo, 1949]			
	media (Darlington, 1962)	H		
	micantina (Csiki, 1930)	H		
	micans Blackburn, 1892 [nec Chaudoir, 1868]			
	micantior (Blackburn, 1903)	H		
	quadricollis (Sloane, 1903)	H*		
	rufilabris (Laporte, 1867)	H*		
	subgagatina (Laporte, 1867)	H*		
	subiridescens (W.J.Macleay, 1871)	H*		
	atronitens (W.J.Macleay, 1871)			
	nitidipennis (W.J.Macleay, 1871)			
	subrecta (Darlington, 1962)	H		
	Pedimorphus Chaudoir, 1878			
Genus				
	elongatus Sloane, 1898	!		
	macleayi Sloane, 1900	H		
	planiusculus Chaudoir, 1878	!*		

	ruficollis Sloane, 1900	!		
	maximus Will, 2019	H		
	crenulatus Will, 2019	H		
	minor Will, 2019	H		
	punctatus Will, 2019	H		
	storeyi Will, 2019	H		
	semilaevis Will, 2019	H		
	robustus Will, 2019	H		
	obtusum Will, 2019	H*		
	variabilis (Straneo, 1960)	H*		
	Cerabilia Laporte, 1867			
Genus	Cerabilia s.str.			
Sg.	Zabronothus Broun, 1893			
	Nelidus Chaudoir, 1878			
	aphela (Broun, 1912)			
	australis (Chaudoir, 1878)	H		
	major (Broun, 1912)			
	maori Laporte, 1867	H		
	oblonga (Broun, 1910)			
	rufipes (Broun, 1893)			
	striatula (Broun, 1893)	!*		
Sg.	Feronista Moore, 1965			
	Australomasorieus Baehr			
	amaroides (Moore, 1965)	H*		
	australiensis Will, 2020	H		
	bellensis sp. nov.	H		
	blatta Will, 2020	H		
	danbullaensis Will, 2020	H		
	gigas Will, 2020	H		
	haigensis Will, 2020	H		

	intermedia (Moore, 1965)	H		
	iridescens Will, 2020	H*		
	kalkajaka Will, 2020	H		
	lewisensis Will, 2020	H*		
	loxandroides Will, 2020	H		
	minor (Moore, 1965)	H		
	monteithi (Baehr, 2007)	H*		
	montivaga Will, 2020	H*		
	moorei Will, 2020	H*		
	mudda Will, 2020	H		
	oodiformis Will, 2020	H*		
	parva Will, 2020	H		
	prolixa Will, 2020	H		
	prosopogmoides Will, 2020	H*		
	reflexa Will, 2020	H		
	securiclata Will, 2020	H		
	spinifer Will, 2020	H*		
	spuh Will, 2020	H		
	storeyi Will, 2020	H*		
	stylata Will, 2020	H		
	tipica Will, 2020	H		
	uncata Will, 2020	H		
	wunduensis Will, 2020	H		
Sg.	Biliacera Will, 2020			
	aite Will, 2020	H		
	amieuensis Will, 2020	H		
	apicesecta Will, 2020	H		
	discosetosa Will, 2020	H*		
	dominatrix Will, 2020	H		
	drupa Will, 2020	H		
	edentata Will, 2020	H*		
	espee Will, 2020	H		

	francisca Will, 2020	H*		
	inversa Will, 2020	H*		
	kanakorum Will, 2020	H*		
	klignonorum Will, 2020	H*		
	koghisensis Will, 2020	H		
	letalit Will, 2020	H*		
	mouensis Will, 2020	H		
	nana Will, 2020	H		
	neocaledonica Will, 2020	H		
	orbiculata Will, 2020	H*		
	paniensis Will, 2020	H		
	rubrica Will, 2020	H*		
	ruginosa Will, 2020	H		
	sternovillosa Will, 2020	H*		
	vitalis Will, 2020	H*		
	wisei Will, 2020	H*		